

Package: rapsimng (via r-universe)

September 18, 2024

Type Package

Title APSIM Next Generation

Version 0.4.4

Description The Agricultural Production Systems sIMulator ('APSIM') is a widely used to simulate the agricultural systems for multiple crops. This package is designed to create, modify and run 'apsimx' files in the 'APSIM' Next Generation <<https://www.apsim.info/>>.

License MIT + file LICENSE

URL <https://rapsimng.bangyou.me/>, <https://github.com/byzheng/rapsimng>

BugReports <https://github.com/byzheng/rapsimng/issues>

Encoding UTF-8

Depends R (>= 3.5.0)

Imports jsonlite, tibble, magrittr, dplyr, rlang, DBI, RSQLite

RoxygenNote 7.3.0

Suggests testthat, knitr, rmarkdown, tidyverse, methods

VignetteBuilder knitr

Repository <https://byzheng.r-universe.dev>

RemoteUrl <https://github.com/byzheng/rapsimng>

RemoteRef HEAD

RemoteSha f647c680ae3ae675cea9445d97c1fea373d79db1

Contents

append_model	2
available_models	3
disable_models	4
get_cultivar	4
get_metfile	5
get_parent	5

get_simulations	6
insert_model	7
insert_models	8
keep_simulations	9
list_report	9
log_level	10
minimum_apsimng	11
new_model	11
read_apsimx	12
read_report	12
remove_model	13
replace_model	14
run_models	14
search_node	15
search_path	16
set_parameter_value	18
test_apsimx	19
update_cultivar	19
write_apsimx	20

Index **21**

append_model	<i>append a model into apsimx</i>
--------------	-----------------------------------

Description

append a model into apsimx

Usage

append_model(1, path, model)

Arguments

1	the list of apsimx file
path	If numeric, the path returned by search_path or search_node. If character, the path supported by apsimx
model	A new model which should be a list of new models

Value

The modified list with new value

Examples

```
wheat <- read_apsimx(system.file("extdata/wheat.apsimx", package = "rapsimng"))
replacements <- new_model("Core.Replacements")
wheat_new <- insert_model(wheat, 1, replacements)
replacements_node <- search_path(wheat_new, ".Simulations.Replacements")
replacements_node$path
# Add a cultivar folder under replacements
cultivar_folder <- new_model("PMF.CultivarFolder", "Cultivars")
wheat_new <- insert_model(wheat_new, replacements_node$path, cultivar_folder)
cultivar_folder_node <- search_path(wheat_new,
                                   ".Simulations.Replacements.Cultivars")
cultivar_folder_node$path
# Add an new cultivar
cultivar <- new_model("PMF.Cultivar", "Hartog")
wheat_new <- insert_model(wheat_new, cultivar_folder_node$path, cultivar)
cultivar_node <- search_path(wheat_new,
                             ".Simulations.Replacements.Cultivars.Hartog")
cultivar_node$path
# Append another cultivar
cultivar2 <- new_model("PMF.Cultivar", "Axe")
wheat_new <- append_model(wheat_new, cultivar_node$path, list(cultivar2))
cultivar2_node <- search_path(wheat_new,
                              ".Simulations.Replacements.Cultivars.Axe")
cultivar2_node$path
```

available_models

List all available models in APSIM NG

Description

List all available models in APSIM NG

Usage

```
available_models()
```

Value

a character vector of available models

Examples

```
a <- available_models()
a[1:10]
```

disable_models	<i>Disable models in apsimx</i>
----------------	---------------------------------

Description

Disable models in apsimx

Usage

```
disable_models(1, paths)
```

Arguments

1	the list of apsimx file
paths	If numeric, the path returned by search_path or search_node. If character, the path supported by apsimx

Value

The modified list with new value

Examples

```
wheat <- read_apsimx(system.file("extdata/Wheat.json", package = "rapsimng"))
a <- disable_models(wheat, '[Wheat].Phenology.ThermalTime')
```

get_cultivar	<i>Get all cultivar parameters in a model</i>
--------------	---

Description

Get all cultivar parameters in a model

Usage

```
get_cultivar(1, alias = TRUE)
```

Arguments

1	The list of apsimx file
alias	Whether to export alias

Value

A data frame for all cultivar parameters

Examples

```
wheat <- read_apsimx(system.file("extdata/Wheat.json", package = "rapsimng"))
get_cultivar(wheat)
get_cultivar(wheat, alias = FALSE)
```

get_metfile	<i>Get the met file name for an experiment</i>
-------------	--

Description

Get the met file name for an experiment

Usage

```
get_metfile(l, is_stop = TRUE)
```

Arguments

l	A list or apsimxNode red by read_apsimx
is_stop	Whether stop the function when error

Value

The met file name in a experiment

Examples

```
wheat <- read_apsimx(system.file("extdata/wheat.apsimx", package = "rapsimng"))
exp <- search_path(wheat, path = "[Experiment]")
get_metfile(exp)
```

get_parent	<i>Get the parent node from a path</i>
------------	--

Description

Get the parent node from a path

Usage

```
get_parent(l, path)
```

Arguments

- l the list of apsimx file
- path If numeric, the path returned by search_path or search_node. If character, the path supported by apsimx

Value

A new list for parent

Examples

```
wheat <- read_apsimx(system.file("extdata/Wheat.json", package = "rapsimng"))
a <- search_path(wheat, '[Structure].BranchingRate')
get_parent(wheat, a$path)
```

get_simulations *Get simulations for a factorial experiment*

Description

Get simulations for a factorial experiment

Usage

```
get_simulations(l)
```

Arguments

- l A list from read_apsim with Factorial.Permutation as root.

Value

A list with Factor as name and Levels as values

Examples

```
wheat <- read_apsimx(system.file("extdata/wheat.apsimx", package = "rapsimng"))
permutation <- search_path(wheat, path = "[Factors].Permutation")
get_simulations(permutation$node)
```

insert_model	<i>Insert a model into apsimx</i>
--------------	-----------------------------------

Description

Insert a model into apsimx

Usage

```
insert_model(l, path, model)
```

Arguments

l	the list of apsimx file
path	If numeric, the path returned by search_path or search_node. If character, the path supported by apsimx
model	A new model

Value

The modified list with new value

Examples

```
wheat <- read_apsimx(system.file("extdata/wheat.apsimx", package = "rapsimng"))
replacements <- new_model("Core.Replacements")
wheat_new <- insert_model(wheat, 1, replacements)
replacements_node <- search_path(wheat_new, ".Simulations.Replacements")
replacements_node$path
# Add a cultivar folder under replacements
cultivar_folder <- new_model("PMF.CultivarFolder", "Cultivars")
wheat_new <- insert_model(wheat_new, replacements_node$path, cultivar_folder)
cultivar_folder_node <- search_path(wheat_new,
                                   ".Simulations.Replacements.Cultivars")
cultivar_folder_node$path
# Add an new cultivar
cultivar <- new_model("PMF.Cultivar", "Hartog")
wheat_new <- insert_model(wheat_new, cultivar_folder_node$path, cultivar)
cultivar_node <- search_path(wheat_new,
                             ".Simulations.Replacements.Cultivars.Hartog")
cultivar_node$path
```

insert_models	<i>Insert models into apsimx</i>
---------------	----------------------------------

Description

Insert models into apsimx

Usage

```
insert_models(l, path, models)
```

Arguments

l	the list of apsimx file
path	If numeric, the path returned by search_path or search_node. If character, the path supported by apsimx
models	New models

Value

The modified list with new value

Examples

```
wheat <- read_apsimx(system.file("extdata/wheat.apsimx", package = "rapsimng"))
replacements <- new_model("Core.Replacements")
wheat_new <- insert_model(wheat, 1, replacements)
replacements_node <- search_path(wheat_new, ".Simulations.Replacements")
replacements_node$path
# Add a cultivar folder under replacements
cultivar_folder <- new_model("PMF.CultivarFolder", "Cultivars")
wheat_new <- insert_model(wheat_new, replacements_node$path, cultivar_folder)
cultivar_folder_node <- search_path(wheat_new,
                                   ".Simulations.Replacements.Cultivars")
cultivar_folder_node$path
# Add an new cultivar
cultivar <- new_model("PMF.Cultivar", "Hartog")
wheat_new <- insert_model(wheat_new, cultivar_folder_node$path, cultivar)
cultivar_node <- search_path(wheat_new,
                            ".Simulations.Replacements.Cultivars.Hartog")
cultivar_node$path
```

keep_simulations	<i>Keep simulations for a factorial experiment</i>
------------------	--

Description

Keep simulations for a factorial experiment

Usage

```
keep_simulations(l, s)
```

Arguments

l	A list from read_apsim with Factorial.Permutation as root.
s	a list with factor as name and levels as value to keep. The factor is kept if it is not specified.

Value

A new list with removed simulations.

Examples

```
wheat <- read_apsimx(system.file("extdata/wheat.apsimx", package = "rapsimng"))
permutation <- search_path(wheat, path = "[Factors].Permutation")
permutation_new <- keep_simulations(permutation$node, list(V = "2"))
get_simulations(permutation_new)

permutation_new <- keep_simulations(permutation$node, list(Cv = c("Axe", "Bolac")))
get_simulations(permutation_new)

permutation_new <- keep_simulations(permutation$node,
                                   list(V = "1", Cv = c("Axe", "Bolac")))
get_simulations(permutation_new)
```

list_report	<i>List all reports in the database</i>
-------------	---

Description

List all reports in the database

Usage

```
list_report(file)
```

Arguments

file the file path to apsimx or db file

Value

a vector of all reports

Examples

```
## Not run:  
file <- system.file("extdata/wheat.apsimx", package = "rapsimng")  
list_report(file)  
  
## End(Not run)
```

log_level	<i>Set the log level of apsimx file</i>
-----------	---

Description

Set the log level of apsimx file

Usage

```
log_level(l, level = c("Error", "Warning", "Information", "Diagnostic", "All"))
```

Arguments

l the list of apsimx file
level log level with option Error, Warning, Information, Diagnostic, All

Value

a new apsimx file

minimum_apsimng	<i>Create the minimum requirements to run an APSIM Next Generation</i>
-----------------	--

Description

Create the minimum requirements to run an APSIM Next Generation

Usage

```
minimum_apsimng(install_path, output)
```

Arguments

install_path	The installed path of APSIM Next Generation
output	The output folder

Examples

```
## Not run:  
minimum_apsimng("C:/ProgramFiles/APSIMNG", "minimum_apsimng")  
  
## End(Not run)
```

new_model	<i>Create a new model</i>
-----------	---------------------------

Description

Create a new model

Usage

```
new_model(model, name = model)
```

Arguments

model	The name of new model
name	The new name

Examples

```
new_model(model = "PMF.Cultivar")  
new_model(model = "PMF.Cultivar", name = "example")
```

read_apsimx	<i>Read APSIMX file</i>
-------------	-------------------------

Description

Read APSIMX file

Usage

```
read_apsimx(path)
```

Arguments

path The file path or URL to apsimx file

Value

A list object of apsimx file

Examples

```
file <- system.file("extdata/wheat.apsimx", package = "rapsimng")  
m <- read_apsimx(file)
```

read_report	<i>Read apsimx database in db file format</i>
-------------	---

Description

Read apsimx database in db file format

Usage

```
read_report(file, report)
```

Arguments

file the file path to apsimx or db file
report the report name

Value

a data.frame for a report

Examples

```
## Not run:  
file <- system.file("extdata/wheat.apsimx", package = "rapsimng")  
read_report(file, "HarvestReport")  
  
## End(Not run)
```

remove_model	<i>Remove a model with new values</i>
--------------	---------------------------------------

Description

Remove a model with new values

Usage

```
remove_model(l, path)
```

Arguments

l	the list of apsimx file
path	If numeric, the path returned by search_path or search_node. If character, the path supported by apsimx

Value

The modified list with new value

Examples

```
wheat <- read_apsimx(system.file("extdata/Wheat.json", package = "rapsimng"))  
a <- search_path(wheat, '[Wheat].Phenology.ThermalTime')  
wheat_new <- remove_model(wheat, a$path)  
b <- search_path(wheat_new, '[Wheat].Phenology.ThermalTime')  
b
```

replace_model	<i>Replace a model with new values</i>
---------------	--

Description

Replace a model with new values

Usage

```
replace_model(1, path, model)
```

Arguments

1	the list of apsimx file
path	If numeric, the path returned by search_path or search_node. If character, the path supported by apsimx
model	A new model

Value

The modified list with new value

Examples

```
wheat <- read_apsimx(system.file("extdata/Wheat.json", package = "rapsimng"))

a <- search_path(wheat, '[Wheat].Phenology.ThermalTime')
a$node$Children[[1]]$X[[2]] <- 27
wheat_new <- replace_model(wheat, a$path, a$node)
b <- search_path(wheat_new, '[Wheat].Phenology.ThermalTime')
b$node$Children[[1]]$X
```

run_models	<i>Run apsimx file using Models.exe</i>
------------	---

Description

Run apsimx file using Models.exe

Usage

```
run_models(
  models_exe,
  path,
  pattern = NULL,
  recurse = FALSE,
  csv = FALSE,
  parallel = NULL,
  ncpus = NULL,
  verbose = FALSE
)
```

Arguments

models_exe	path to Models.exe
path	The path to an .apsimx file. May include wildcard.
pattern	Use to filter simulation names to run.
recurse	Recursively search subdirectories for files matching ApsimXFileSpec. FALSE in default.
csv	Export all reports to .csv files. FALSE in default.
parallel	Use the multi-process job runner. If FALSE, use single threaded; if TRUE, use the multi-process job runner
ncpus	Set the number of processors to use. All processes in default
verbose	Write messages to StdOut when a simulation starts/finishes. Only has an effect when running a directory of .apsimx files (*.apsimx).

search_node	<i>Find element(s) in apsimx file</i>
-------------	---------------------------------------

Description

Find element(s) in apsimx file

Usage

```
search_node(l, all = FALSE, max_depth = 1e+06, case_insensitive = TRUE, ...)
```

Arguments

l	The list of apsimx file
all	Whether to find all elements
max_depth	The maximum depth to search
case_insensitive	Whether case sensitive
...	Other names arguments for property to match

Value

A list matching all criteria if all equals to TRUE, A list with node and path if all equals to FALSE (default)

Examples

```
wheat <- read_apsimx(system.file("extdata/Wheat.json", package = "rapsimng"))
# Return empty list if not found
search_node(wheat, Name = "Simulations1")
# Find root level
a <- search_node(wheat, Name = "Simulations")
a$path
# Find sub-level
a <- search_node(wheat, Name = "Wheat")
a$path
a <- search_node(wheat, ` $type ` = "Models.PMF.Cultivar, Models")
a$path

# Find multiple attributes
a <- search_node(wheat,
                 Name = 'PotentialBranchingRate',
                 ` $type ` = "Models.Functions.PhaseLookup, Models")
a$path
a$node$Name
# Find all cultivar nodes
a <- search_node(wheat, ` $type ` = "Models.PMF.Cultivar, Models", all = TRUE)
length(a)
```

search_path

Find a model in the apsimx file using specified path

Description

Find a model in the apsimx file using specified path

Usage

```
search_path(l, path, case_insensitive = TRUE)
```

Arguments

l the list of apsimx file
 path The specified path (See details)
 case_insensitive Whether case sensitive

Value

The list for the specified path.

Absolute Paths

Absolute paths have a leading '.' e.g.

- .Simulations.Test.Clock - absolute path - refers to the clock model in the 'Test' simulation.

Scoped Paths

Scoped paths have a leading model type in square brackets. A model of the specified name, in scope, is located before applying the rest of the path.

- [Soil].Water - scoped path - refers to the Water model that is a child of a model that has the name 'Soil' that is in scope

Examples

```
wheat <- read_apsimx(system.file("extdata/Wheat.json", package = "rapsimg"))
# Return empty list if not found
search_path(wheat, "[Simulations1]")
# Search root path
a <- search_path(wheat, '.Simulations')
a$path
a$node$Name
# Level one
a <- search_path(wheat, '.Simulations.Wheat1')
a$path
a$node$Name
# Level two
a <- search_path(wheat, '.Simulations.Wheat')
a$path
a$node$Name
# Level three
a <- search_path(wheat, '.Simulations.Wheat.BranchingRate')
a$path
a$node$Name
a <- search_path(wheat, '.Simulations.Wheat.Structure')
a$path
a$node$Name
# Level four
a <- search_path(wheat, '.Simulations.Wheat.Structure.BranchingRate')
a$path
a$node$Name
a <- search_path(wheat, '.Simulations.Wheat.Structure.BranchingRate1')
a$path
a$node$Name
# scoped
# Root path
a <- search_path(wheat, '[Simulations1]')
a <- search_path(wheat, '[Simulations]')
a$path
a$node$Name
# Level two
a <- search_path(wheat, '[Simulations].Wheat1')
```

```

a <- search_path(wheat, '[Simulations1].Wheat')
a$path
a$node$Name
a <- search_path(wheat, '[Whea]')
a <- search_path(wheat, '[Wheat]')
a$path
a$node$Name
# Level three
a <- search_path(wheat, '[Wheat].BranchingRate')
a <- search_path(wheat, '[Wheat].Structure')
a$path
a$node$Name
a <- search_path(wheat, '[Structure]')
a$path
a$node$Name
# Level four
a <- search_path(wheat, '[Structure].BranchingRate')
a$path
a$node$Name
a <- search_path(wheat, '[Structure].BranchingRate1')
a <- search_path(wheat, '[Structure1].BranchingRate')

```

set_parameter_value *Set a parameter with a new value*

Description

Set a parameter with a new value

Usage

```
set_parameter_value(l, parameter, value)
```

Arguments

l	the list of apsimx file
parameter	the name of parameter with APSIM NG specification
value	the new value

Value

A list with replaced value

Examples

```

wheat <- read_apsimx(system.file("extdata/Wheat.json", package = "rapsimng"))
new_wheat <- set_parameter_value(wheat,
  "[Structure].BranchingRate.PotentialBranchingRate.Reproductive.Zero.FixedValue",
  1)

```

```

new_wheat2 <- search_path(new_wheat,
  "[Structure].BranchingRate.PotentialBranchingRate.Reproductive.Zero")
new_wheat2$node$FixedValue

new_wheat <- set_parameter_value(
  wheat,
  "[Structure].HeightModel.WaterStress.XYPairs.Y",
  "0.1,1.1")
new_wheat2 <- search_path(new_wheat,
  "[Structure].HeightModel.WaterStress.XYPairs")
new_wheat2$node$Y

```

test_apsimx	<i>Test whether all files under published folder of apsimx are required</i>
-------------	---

Description

Test whether all files under published folder of apsimx are required

Usage

```
test_apsimx(base, example)
```

Arguments

base	the base folder path to apsimx publish
example	an example apsimx file

Value

A vector a required files

update_cultivar	<i>Title Update the cultivar parameters</i>
-----------------	---

Description

This function assumes the file is apsimx format. A new Replacements node is added if it is not exist. The existing cultivar parameters are updated. New cultivar is created.

Usage

```

update_cultivar(
  1,
  df,
  add = TRUE,
  use_folder = TRUE,
  cultivar_folder = "Cultivars"
)

```

Arguments

l	The list of apsimx file
df	A data frame for new parameters with three columns, i.e. name, parameter and value.
add	Whether to add extra nodes (e.g. replacements, Cultivars folder and new cultivar)
use_folder	use cultivar folder to add new cultivars
cultivar_folder	folder name for cultivars

Value

The modified apsimx file

Examples

```
wheat <- read_apsimx(system.file("extdata/wheat.apsimx", package = "rapsimng"))
# Update cultivars
df <- data.frame(name = rep("Hartog", 3),
                 parameter = c("[Phenology].MinimumLeafNumber.FixedValue",
                               "[Phenology].VrnSensitivity.FixedValue",
                               "[Phenology].PpSensitivity.FixedValue"),
                 value = c(9, 7, 3))

wheat_cultivar <- update_cultivar(wheat, df)
hartog <- search_path(wheat_cultivar, "[Replacements].Hartog")
hartog$path
```

write_apsimx

Write APSIMX file

Description

Write APSIMX file

Usage

```
write_apsimx(l, file)
```

Arguments

l	the list of apsimx file
file	The file path to apsimx file

Value

A list object of apsimx file

Index

append_model, 2
available_models, 3

disable_models, 4

get_cultivar, 4
get_metfile, 5
get_parent, 5
get_simulations, 6

insert_model, 7
insert_models, 8

keep_simulations, 9

list_report, 9
log_level, 10

minimum_apsimng, 11

new_model, 11

read_apsimx, 12
read_report, 12
remove_model, 13
replace_model, 14
run_models, 14

search_node, 15
search_path, 16
set_parameter_value, 18

test_apsimx, 19

update_cultivar, 19

write_apsimx, 20